10

Q

25

35

Claims

- The use of a nucleic acid molecule comprising a sequence encoding an NAB1
 or NAB2 polypeptide, or a biologically active fragment thereof, in the manufacture of a medicament for the treatment of cell proliferative disorders associated with wound healing in a mammal, including human.
 - 2. The use as claimed in claim 1, wherein the NAB1 or NAB2 polypeptide is human NAB1 or NAB2 polypeptide.
 - 3. The use as claimed in any of claims 15% where the cell proliferative disorders associated with wound healing are hypertrophic and keloid scar formation.
 - 4. The use as claimed in any of claims 1/3, wherein the nucleic acid molecule is operatively linked to a nucleic acid sequence, which controls expression.
 - 5. The use as claimed in any of claims 14, wherein the nucleic acid molecule is at least 70% or 80% or 90% or 95% identical over its entire length to an NAB1 or NAB2 polynucleotide sequence.
 - 6. The use according to any of claims 1\5, comprising a combination of a nucleic acid molecules comprising sequences encoding both an NAB1 polypeptide and an NAB2 polypeptide, or biologically active fragments thereof.
 - 7. The use as claimed in any of claims 1 1 wherein the nucleic acid molecule comprises a sequence which encodes a NAB2 polypeptide, or a biologically active fragment thereof.
- arranged for administration to the mammal by physical methods.
 - 9. The use as claimed in claim 8, wherein the nucleic acid molecule is arranged for administration to the mammal by particle bombardment.

5

Q_10

15

20

25

30

35

- 10. The use as claimed in claim 9, wherein the nucleic acid molecule is immobilised on gold particles.
- 11. The use as claimed in claim 8, wherein the nucleic acid molecule is arranged for administration by microseeding.
- 12. The use as claimed in any of claims 14, wherein the nucleic acid molecule is in a vector.
- 13. The use as claimed in any of claims 1√√, wherein the nucleic acid molecule is in a cell.
- 14. A nucleic acid molecule comprising a sequence encoding an NAB1 or NAB2 polypeptide, or a biologically active fragment thereof, for use in gene therapy.
- >15. A pharmaceutical composition comprising a nucleic acid molecule comprising a sequence encoding an NAB1 or NAB2 polypeptide, or a biologically active fragment thereof, together with one or more pharmaceutically acceptable carriers thereof.
- 16.A method of treatment of cell proliferation disorders associated with wound healing in a mammal, including human, which method comprises the administration to the mammal of a nucleic acid molecule comprising a sequence encoding an NAB1 or NAB2 polypeptide, or a biologically active fragment thereof.
- 17. The use of an NAB1 or NAB2 polypeptide, or a biologically active fragment thereof, in the manufacture of a medicament for the treatment of cell proliferation disorders associated with wound healing in a mammal, including human.
- 18. The use as claimed in claim 17, wherein the NAB1 or NAB2 polypeptide or biologically active fragment thereof is naturally-, synthetically- or recombinantly-produced.

10

15

- 19. The use as claimed in claim 17 or claim 18, wherein the NAB1 or NAB2 polypeptide is human NAB1 or NAB2 polypeptide.
- 20. The use as claimed in any of claims 1710, wherein the polypeptide is at least 70% or 80% or 90% or 95% identical over its entire length to an NAB1 or NAB2 polynucleotide sequence
 - 21.A method of treatment of cell profiferation disorders associated with wound healing in a mammal, including human, which comprises the administration to the mammal of a therapeutically effective amount of an NAB1 or NAB2 polypeptide, or a biologically active fragment thereof.
 - 22. A pharmaceutical composition comprising an NAB1 and/or NAB2 polypeptide, or a biologically active fragment thereof, together with one or more pharmaceutically acceptable carriers thereof.

agg Bz